



L

9@<C'gWfYk!]b!\YUhyf'#'ÚUb [Y'\YUhyf

with brazed heating elements
 maximum used till Kat. I according PED

heated medium water

to heating from water
 nominal capacity _____ kW = _____ kW
 nominal voltage 230 Volt 50 Hz /400 Volt 3ph


dimensions:

•&!^, Èã}Ác@!^æâÁDÁ'æ}*^Á' ÁwÁÖÞ
 immersion length thread _____ mm
 ~! [{ Ác@æcÁ' } @^æc^âÁ' Á { { ÁæcÁc@!^æâÁDÁ'æ}*^

material:

•&!^, Èã}Ác@!^æâÁDÁ'æ}*^Á'•cæã}|^••È•c^^|
 heating elements incoloy 825

electrical data:



US -1

Domestic calorifier exclusively stainless steel


Pos3.3tionQuantityPosingle priceEurototal priceEuro

DNEX DSW2 Performance-Stored-Water-Heater

Type: _____







-

-

|

|||

Hot Water System Boiled - and Solar - Water heated

pre-mounted frame construction, stainless steel pipework, internal wired designed and constructed according to customers demand




**Domestic hot water storage tanks exclusively
stainless steel to ANSI 316 Ti**


From 150 to 1000 liter

LAS 




Pos3.3tionQuantityPosingle priceEurototal priceEuro






DMS – Cooling - System


&[||ä} *ÄÄ, æc^!Ä•^•c^ { Ä!^æä^Ä-[!Ä~•^Ä•c[!ä} *Äæ} äÄ&@æ! *ä} *Ä&[{ ää}^ä

























01/2013 DMS/DINOX reserves the right to make changes without notice.






Compact District Heating Stations

01/2013 DMS/DINOX reserves the right to make changes without notice.





01/2013 DMS/DINOX reserves the right to make changes without notice.

General Terms and Conditions of Contract

Provision